# Contents

PANELFORM PROFILE	2
WHY PANELFORM?	3
PANELFORM EASYORDER	4
TOUCHTEX DOORS	6
Touchtex Panels	7
Ordering Touchtex Doors and Panels	
Non-Standard Colours and Surface Finishes	
PUREGLOSS DOORS	8
Puregloss Panels	9
Ordering Puregloss Doors	
DUROSTYLE DOORS	10
Bronze Series	
SILVER SERIES	
GOLD SERIES	13
PLATINUM SERIES	14
Pantry Doors	16
Glass Doors	17
Drawer Fronts	18
CORNICE	
False Fronts	20
DUROSTYLE PANELS	2
Ordering Durostyle doors	22
Codes for Durostyle doors	23
Example Order for Durostyle Doors	24
MINIMUM SIZES FOR COMPULSORY RAILS AND DRAWER CONFIGURATIONS	25
ALUMINIUM STRIP HANDLES	26
CARCASE ELEMENTS	27
PANELFORM SERVICE	28
10 Day Lead Time Guarantee	28
Panelexpress Service	28
DISPATCH & FREIGHTING	28
IMMEDIATE "PUT IT RIGHT" PROMISE	28
WE WILL KEEP IN TOUCH AND FOLLOW UP	28
Care & Maintenance	29
IO YFAR GUARANTFF	30



## Panelform Profile

Welcome to Panelform. We are the supplier of the most complete range of kitchen doors, panels and components to the kitchen and joinery industries in New Zealand. Our dedication to exceptional high quality, guaranteed on-time delivery and personal, down-to-earth service ensure your success every time. We're here to provide joinery solutions that work for you.

Our company was formed in 1994 and pioneered the distinctive method of postforming pre-coated melamine board. Today we manufacture and supply a large range of kitchen doors and components to meet the current demands and trends in the market. We do not sell kitchens. Instead, we are here to create and expand the sales opportunities for joiners, kitchen retailers, architects, and designers, adding colour and personality to New Zealand homes.





## Why Panelform?

### Lead Time Guarantee

We guarantee a lead time of 10 working days or less for door and panels orders (from order to dispatch date), any time of the year. (Excludes when supply issues are out of our control).

### Online Quoting/Ordering

Get instant quotes and place orders online at www.panelformeasyorder.co.nz – the most simple and user-friendly kitchen door ordering system around! Save yourself time and money by reducing time waiting for quotes and human errors in ordering.

### Better Quality

We believe our products are of better quality than our competitors. All our doors are manufactured in 18mm thick MDF. Stronger, straight Durostyle doors are manufactured using the best moisture-resistant MDF available, and the highest quality foils from countries like Germany and Japan. Only the best PVC edge tapes make it onto our Touchtex and Puregloss door ranges, using technology and machinery from some of the best woodworking machinery manufacturers in the world.

### Finishing

Our craftsmen go an extra step to ensure your doors and panels look the best. We pay attention to detail and ensure our doors are finished without sharp or unfinished edges.

### Choice

We have the largest range of doors available from one supplier in New Zealand. Work with one team to reduce wasted time and money from communication break-downs and errors.

### Panelexpress

This is a service provided for those little extras, forgotten pieces, or mistakes in ordering, that you need in a hurry to complete a job. Simply place your order before midday and it will be dispatched the following day. Some conditions apply – see page 28 for details.

### Packaging

We package to ensure our doors arrive in top condition and ready for installation. Every package is given maximum protection, inside and out, to avoid the frustration and cost of freight damage.

### Peace of Mind

We guarantee our doors and panels will stand the test of time. As manufacturers we have full confidence in our design and workmanship and will guarantee this in all our products for 10 years. See full guarantee on page 30.

### Continuous Improvement

We are a family business, dedicated to the success of our customers. We aim to be the best supplier you have through continually getting better at what we do.





## Panelform EasyOrder

Panelform EasyOrder is our all-in-one online quoting and ordering system.





VIEW ALL CURRENT COLOURS FOR EACH PRODUCT

PLACE ORDERS ONLINE, DIRECTLY INTO OUR PRODUCTION SYSTEM



VIEWABLE ON SMART PHONES AND TABLETS



KEEP ALL QUOTES & ORDERS IN ONE EASILY ACCESSIBLE LOCATION

KNOW THE STATUS OF YOUR JOB AS IT MOVES THROUGH OUR FACTORY, FFROM SUBMITTED TO SHIPPED




GET FREE DELIVERY FOR ALL ORDERS OVER \$1000 PLACED ONLINE!







### Panelform Website EasyOrder Link



## fourness



## Touchtex Doors

Touchtex is our unique range of 2mm PVC-edged melamine doors. Touchtex doors are manufactured in 18mm MDF substrate and crafted using some of the best edge tapes and machinery in the world. We provide a complete supply of Touchtex doors and panels to your specifications and sizes. All doors and drawer fronts are melamine coated on both sides and clashed on all 4 edges with 2mm PVC, in either matching or contrasting colours.

Matching panels may be edged on either 1, 2, 3 or 4 edges.

Touchtex doors are most cost-effective in colours from the Touchtex Colour Selection listed in the Price Lists section, but any colour from Bestwood Melamine, Melteca and Prime Melamine is available.



fourntex



### Touchtex Panels

Touchtex panels are available to match all Touchtex doors and a selection of Durostyle door colours.

It is recommended that where possible, Touchtex panels are used around ovens etc as these have a higher heat resistance than Durostyle and are a lot more cost effective.

Touchtex Panel Profile	
	Touchtex Profile

## Ordering Touchtex Doors and Panels

Touchtex products can be ordered online using our EasyOrder website

When using an order sheet:

- 1. Ensure order forms are filled out correctly and neatly to avoid any misinterpretation.
- 2. Check all relevant details are given.
- 3. Fill in all 4 edge-detail boxes for each item.

NB: Lineal and woodgrain colours will be made with vertical grain unless otherwise requested. Please indicate where grain matching is required. Minimum distance between two PVC edges is 80mm.

### Non-Standard Colours and Surface Finishes

Colours and finishes outside our Touchtex range will incur a surcharge. Excess board will be on-charged and delivered with job. See Touchtex Colour Selection for more information.





## Puregloss Doors

Puregloss is our range of Ultra High Gloss doors and panels, offering a highly sophisticated yet totally practical finish.

Puregloss doors are made from melamine with a UV cured high gloss resin on the surface to form a mirror gloss finish that is exceptionally hard and scratch-resistant. Puregloss doors are manufactured from an 18mm Moisture-Resistant E-Zero (low formaldehyde) MDF substrate and edged with a 1mm gloss PVC edge. Both the surface of the board and the edging comes with a plastic film for protection. The back side of the board is always the matching colour in a matt finish.

All doors and drawer fronts are clashed on all 4 edges. Matching panels may be edged on either 1, 2, 3 or 4 edges.







## Puregloss Panels

Puregloss panels are available to match all Puregloss doors.

Puregloss Panel Profile	
	Puregloss Profile

## Ordering Puregloss Doors

All Puregloss Doors and Panels can be ordered online using our EasyOrder website.

When using an order sheet:

- 1. Ensure order forms are filled out correctly and neatly to avoid any misinterpretation.
- 2. Check all relevant details are given.
- 3. Fill in all 4 edge-detail boxes for each item.



## Durostyle Doors


Durostyle is our range of thermoformed doors and panels. Durostyle doors are created using a thermal laminate which is bonded under heat and vacuum pressure onto pre-moulded 18mm Moisture-Resistant MDF substrate. This provides the opportunity for many different designs to suit individual tastes and still have the hard wearing and scratch-resistant surface of a laminate.

Four different categories and price levels reflect the complexity of the design and preparation. Durostyle products are available in a fabulous range of fashion colours, to suit all interior decors. Many of the colours in the Durostyle range can be matched with Touchtex as a more cost-effective option for end panels, toe kicks and open cabinets.

N.B. Colour range may change periodically as market trends dictate. Please check availability with Panelform prior to ordering.



### Bronze Series





For full specifications for each door style, please visit our website and download the specification sheet.

All door styles are also available in raw moisture resistant (MR) MDF, sanded ready for lacquering.



## Silver Series






For full specifications for each door style, please visit our website and download the specification sheet.

All door styles are also available in raw moisture resistant (MR) MDF, sanded ready for lacquering.



## Gold Series




For full specifications for each door style, please visit our website and download the specification sheet.

All door styles are also available in raw moisture resistant (MR) MDF, sanded ready for lacquering.



### Platinum Series




For full specifications for each door style, please visit our website and download the specification sheet.






### **DERWENT**



### DERWENT ARCH



For full specifications for each door style, please visit our website and download the specification sheet.


All Platinum Series door styles are also available in one-piece or two-piece raw moisture resistant (MR) MDF, sanded ready for lacquering.



## Pantry Doors

Tall pantry-type doors may be ordered with or without a centre rail, depending on the style of door and the visual effect one wishes to create.


Please ensure, in addition to overall sizes, that heights are given accurately as shown below




When ordering, please specify height a and b height if necessary.



### Glass Doors






Frame Only

Lattice Style

Glass doors are available to match each door style. To order glass to fit, see the specification sheet for the relevant door style. Allow a small margin on this for clearance in fitting the glass.



x = 7mm

y = 10mm


z = variable depending on door style



### Drawer Fronts


Durostyle drawer fronts may be ordered either as a bank of drawers representing 1 complete door, or as individual fronts.

The most popular way of ordering a drawer bank is option a below, but this is entirely a matter of choice.






## Cornice



30mm Classic Cornice

Size: 2400 x 100 x 30mm






30mm Contemporary Cornice

Size: 2400 x 100 x 30mm



## False Fronts




Drawings with detailed specifications required for each item



## Durostyle Panels

Durostyle panels are available with the edge details as shown below. It is recommended that if Durostyle panels are being used beside ovens, the front edge is 180mm wrapped to offer better heat protection.





## Ordering Durostyle doors

Durostyle products can be ordered online using our EasyOrder website.

### If using an order sheet:

- 1. Please ensure these doors are ordered using the correct form and that all order forms are filled out correctly and neatly to avoid any misreading of sizes, styles or edge details.
- 2. Check that all relevant details are given.
- 3. Please leave edge details column blank where the standard edge is required
- 4. Use the Description column to define items such as; Door, Drawer, Panel or Cornice

#### 5. Tall Doors:

When ordering pantry-type doors with a centre rail, please specify heights a and b if necessary (see example order, page 24). See page 25 for information on door styles that have compulsory rails. The maximum recommended height for these doors is 2100mm.

#### 6. Glass Doors:

If you required a door to be cut out for glass, please specify either FO (Frame Only) or LAT (Lattice) in the Code column.

### 7. Drawer Fronts:

When ordering drawer fronts please list individual drawer sizes in order beginning with the top drawer. Please specify in the Drawer Type column which drawer configuration you require – refer to page 18. In the Set No. column, please give each drawer set a number so as to clearly define which drawers belong as a set. Please leave all edge detail columns blank as these are defined by the drawer type chosen.

### 8. Panels:

Panels are defined using the edge details columns. Use the codes W, B, Sq etc, as well as specifying DS (Double-Sided) in the Code column if necessary.

### 9. **Cornice**:

Specify cornice using the correct code in the Code column. Cornice is only available in 2400mm x 100mm.





## Codes for Durostyle doors

	Denotes Standard edge
DS	Double Sided
FO	Glass Frame Only
LAT	Lattice Glass Frame
ROL	Roller Door Frame
MW	Microwave Frame
WR	Wine Rack Front
BEV	Bevelled Cornice
CLA	Classic Cornice
CON	Contemporary Cornice
LY	Lyell edge (3mm radius)
RD	Rosedale edge (scallop)
FX	Foxhill edge (large bevel)
RV	Rockville edge (45° bevel)
МВ	Millburn edge (6mm radius)
Sq	Square edge (1mm radius)
В	Bare edge (no foil)
w	180 degree wrapped edge
s	0.4mm paper taped edge



## Example Order for Durostyle Doors

Description	Qty	Height	Width	Left	Right	Тор	Btm	Code	Drawer Type	Set No.	(a)	(b)	Other Details
Door	2	1982	398			GI AC		3.0			716	100	
Door	2	716	298		3	0 8		FO			3 - 12		
Drawer	1	158	448		3	0 8			BANK (A)	1			
Drawer	2	277	448		.,	2 8			BANK (A)	1			
Door	1	716	298			8		. 37			0		
Drawer	3	158	448		3	0 8		. 8	IND (B)	2			
Drawer	1	236	448			0 8			IND (B)	2	9 0		
Door	1	716	298	Sq	LY	LY	LY				0 0		Corner Door
Door	1	716	298			(A - 2)		LAT					6 lites
Door	1	600	800		.,	2 8		MW					60mm frame
Flat Panel	1	1200	300	LY	LY	В	В	2			0		
Flat Panel	1	800	500	LY	В	В	Sq	. 37			0		
W Panel	1	1800	550	W	В	В	В	: 27					0
W Panel	1	800	550	W	W	В	В	. 8					
W Panel	1	2400	550	W	В	В	В	DS					
Cornice	3	2400	100			0 8		CLA			0 0		






## Minimum sizes for Compulsory Rails and Drawer Configurations

				_			Dra	ons	
	Style	Tall Door Options	Rail Option	Rail Compulsory	Min Height Compulsory Rail	Min Height with Rail	Min Height Bank (a)	Min Height Individual (b)	Min Height Split Rail (c)
Bronze	Lyell	N/A	N/A	N/A	N/A	N/A	100	100	N/A
	Millburn	N/A	N/A	N/A	N/A	N/A	100	100	N/A
	Rosedale	N/A	N/A	N/A	N/A	N/A	100	100	N/A
	Foxhill	N/A	N/A	N/A	N/A	N/A	120	120	N/A
	Rockville	N/A	N/A	N/A	N/A	N/A	100	100	N/A
Silver	Waverley	Yes	Yes	No	N/A	500	100	150	120
	Wakefield	Yes	Yes	No	N/A	500	100	150	120
	Stirling	N/A	N/A	N/A	N/A	N/A	100	100	N/A
	Tyburn	N/A	N/A	N/A	N/A	N/A	100	100	N/A
	Maidstone	N/A	N/A	N/A	N/A	N/A	120	120	N/A
Gold	Langsdale	Yes	Yes	No	N/A	500	100	150	120
	Kirk	Yes	Yes	No	N/A	500	100	150	120
	Ellergill	Yes	Yes	No	N/A	500	100	190	160
	Lockholm	Yes	Yes	No	N/A	500	100	190	160
	Ravenstone	Yes	Yes	No	N/A	500	100	190	160
	Ravenstone Arch	Yes	Yes	No	N/A	500	130	220	190
Platinum	Tudor	Yes	Yes	Yes	1550	500	102	166	133
	Bainbridge	Yes	Yes	Yes	1550	500	102	166	133
	Kendal	Yes	Yes	Yes	1550	500	102	166	133
	Kendal Arch	Yes	Yes	Yes	1550	500	163	227	194
	Chateau	Yes	Yes	Yes	1550	500	102	166	133
	Derwent	Yes	Yes	Yes	1550	500	102	166	133
	Derwent Arch	Yes	Yes	Yes	1550	500	163	227	194



## Aluminium Strip Handles

We can supply and fit aluminium strip handle on all our doors. When ordering, list doors at the finished height and we will calculate and deduct the required amount for the handle.



\*Not available in Durostyle


### Ezi Venice Handle





## Carcase Elements

These are pre-clashed white carcase elements ready to be cut to length and made to your own specifications. These are available in 2400mm lengths, cut to specified widths, and clashed with either 1mm or 2mm PVC on one long edge. Available in Arctic White in 16mm Particle Board (PB), 16mm MDF or 18mm MDF.



Cut to your own lengths, minimal wastage; no need for an edgebander, and still retain your own style of cabinetry.



### Panelform Service

## 10 Day Lead Time Guarantee

Panelform guarantees that orders for Touchtex, Puregloss and Durostyle doors and panels will be dispatched within 10 working days. For non-standard colours and finishes this may vary depending on the availability of material.

## Panelexpress Service

This is a service provided for those little extras, forgotten pieces, or mistakes in ordering, that you need in a hurry to complete a job. Simply phone your order through before midday and it will be dispatched the following day. There is a fee for this service of \$35, to cover workflow disruption. Normal panel and freight charges apply.

NB: Conditions apply including availability of materials, size restrictions and time-consuming or non-standard articles.

## Dispatch & Freighting:

Utmost care is taken at Panelform to ensure that orders are well protected and packaged. Any problem arising whilst in the hands of freight companies is beyond our control. On receiving a consignment, please take the time to inspect it thoroughly. If there are any visible signs of damage at all to the exterior of the package, please sign the consignment note as damaged. A consignment not which has been signed as being received in good order and condition cannot be claimed on. This is a freight company policy. If, when you open a consignment, you find a damaged or imperfect panel which isn't freight damage, it must be reported to Panelform within 48 hours of receipt. It must be noted that dispatch dates given by Panelform are dates when consignments will leave our factory. Normal freight times are allowed but once the consignment has left us, freight times are beyond our control.

## Immediate "Put it Right" promise.

We will immediately put into action any steps required to replace or repair any product we agree is not up to standard.

## We will keep in touch and follow up

We will be in contact with you to make sure that you are satisfied with the service you are receiving and that the product is of excellent quality.



## Care & Maintenance

### Touchtex Doors

Touchtex doors are made from MDF substrate, and as with any MDF product, are not waterproof. Care should be taken to ensure they are not exposed to high levels of heat, moisture, steam and humidity and that any accidental spills are wiped up immediately.

For cleaning, we recommend wiping Touchtex Doors with a soft damp cloth with warm soapy water or mild chemical spray and then drying with a soft dry cloth.

Do not use commercial cleaning products, abrasive papers, acids, solvents, thinners, methylated spirits, turpentine, bleach or any other strong cleaners to clean Touchtex doors. Use of these cleaners will void your 10 year quarantee.

### Puregloss Doors

Puregloss doors are made from High Moisture-Resistant E-Zero MDF substrate, but as with any MDF product, are not waterproof. Care should be taken to ensure they are not exposed to high levels of heat, moisture, steam and humidity and that any accidental spills are wiped up immediately.

For cleaning we recommend wiping with a soft, damp cloth with warm soapy water and then drying with a soft dry cloth. For more difficult marks, a mild streak-free glass cleaner may be used.

Do not use commercial cleaning products, abrasive papers, acids, solvents, thinners, methylated spirits, turpentine, bleach or any other strong cleaners to clean Puregloss doors. Use of these cleaners will void your 10 year guarantee.

### Installation:

Puregloss doors and panels are manufactured with a protective film on the surface to prevent scratching. This film should not be removed until installation is complete.

### Durostyle Doors

Durostyle doors are made from High Moisture-Resistant E-Zero MDF substrate, but as with any MDF product, are not waterproof. Care should be taken to ensure they are not exposed to high levels of heat, moisture, steam and humidity and that any accidental spills are wiped up immediately.

For cleaning we recommend wiping with a soft damp cloth with warm soapy water and then drying with a soft dry cloth. A small amount of mild chemical spray may be used for stains that cannot be removed with soapy water. Please refer to the manufacturer's recommendations before using chemical spray.

Do not use commercial cleaning products, abrasive papers, acids, solvents, thinners, methylated spirits, turpentine, bleach, MEK or any other strong cleaners to clean Durostyle doors. Use of these cleaners will void your 10 year guarantee.

### Installation:

Durostyle doors and panels in a gloss finish are manufactured with a protective film on the surface to prevent scratching. This film should not be removed until installation is complete.



### 10 Year Guarantee

Panelform guarantees our doors and panels will stand the test of time. As manufacturers we have full confidence in our design and workmanship and will guarantee this in all our products for 10 years, subject to the following terms and conditions.

- This guarantee is subject to compliance by the consumer with all Panelform's terms regarding the installation, care and maintenance of the doors.
- Panelform will not be liable for any defects or faults resulting from acts or omissions of anyone other than Panelform or for any cause independent of human control occurring after the goods have left Panelform's control.
- Any claim shall not exceed the original purchase price of the doors or panels manufactured.
   Panelform will not meet any additional costs of reinstallation or refitting of doors or panels.
- Panelform must be advised in writing of any claim under the terms of this guarantee within 10 years
  of the date of manufacture of the products.
- The claim is made by the original purchaser of the products.

This guarantee is in addition to the guarantees as contained in the Consumer Guarantees Act 1993 and does not in any way limit the rights which may be available to the consumers under that Act.