

# TOUCHER MELAMINE DOORS & PANELS

Panelform Touchtex is the most popular kitchen door in New Zealand.

And for some very good reasons.

Created in melamine-faced MDF board, our doors and panels come in a range of colours, and are not only easy-care, scratch resistant, and durable, but come in a selection of woodgrain, textured, matt and gloss finishes.

You can choose to fit in. Or make a real statement.

ZeroLine technology available.







## **Touchtex ZeroLine Doors**

Touchtex ZeroLine is the newest technology to come to kitchen door manufacturing. Touchtex ZeroLine doors are 18mm thick with a 1mm 'laser edge' tape.

ZeroLine technology enables the 1mm edge tape to be 'fused' to the edge of the door or panel without using glue, creating an almost invisible join that is exceptionally strong and highly water-resistant.

ZeroLine uses specially manufactured ABS or PP edge tapes which are more environmentally friendly than traditional PVC tapes. Visit **panelform.co.nz** to learn more about ZeroLine Glueless Edging Technology.

dell'

00

67 MIN


-----

2010

....

ė ė ė ė





### Colour

The swatches below are the 10 colours available in the Touchtex ZeroLine colour selection. These colours may change periodically as market trends dictate. Please check availability prior to ordering.



Please note the colours shown may vary slightly from actual colours due to the printing process of this brochure, so always select a colour based on an actual sample swatch.

\*Colours exclusive to Panelform

RUMSKULLA OAK

Matt



Touchtex ZeroLine: Ptarmigans Wing Matt Touchtex ZeroLine: Rumskulla Oak Matt



Touchtex: Snowdrift Naturale

#### **10 Year Guarantee**

Panelform guarantees Touchtex doors and panels will stand the test of time. As manufacturers we have full confidence in our design and workmanship and will guarantee this in all our products for 10 years, subject to the following terms and conditions.

- This guarantee is subject to compliance by the consumer with all Panelform's terms regarding the installation, care and maintenance of the doors.
- Panelform will not be liable for any defects or faults resulting from acts or omissions of anyone other than Panelform or for any cause independent of human control occurring after the goods have left Panelform's control.
- Any claim shall not exceed the original purchase price of the doors or panels manufactured.
  Panelform will not meet any additional costs of reinstallation or refitting of doors or panels.
- Panelform must be advised in writing of any claim under the terms of this guarantee within 10 years of the date of manufacture of the products.
- The claim is made by the original purchaser of the products.

This guarantee is in addition to the guarantees as contained in the Consumer Guarantees Act 1993 and does not in any way limit the rights which may be available to the consumers under that Act.

## **Touchtex Doors**

Touchtex is our unique range of 2mm PVC-edged melamine doors. Touchtex doors are manufactured in 18mm MDF substrate and crafted using some of the best edge tapes and machinery in the world.

## Colour

Melamine colour and finish options are almost endless. Touchtex doors and panels are most cost effective when a colour is chosen from our Touchtex Colour Selection shown below.

Many of the Touchtex colours can be matched with a colour from Panelform's Durostyle range. Please visit panelform.co.nz for a list of the colour matches available.

<b>WASHED OAK</b>	<b>ROCK SALT</b>	DAWN GREY
Woodgrain	Naturale	Naturale
<b>GENTLE BEIGE</b>	ARCTIC WHITE	WARM WHITE
Naturale	Velvet	Naturale
<b>SNOWDRIFT</b> Naturale	SEAL GREY Naturale	QUARTER THORNDON CREAM Velvet
<b>MIST</b>	<b>BLACK</b>	<b>BULLET</b>
Naturale	Pearl	Pearl
<b>FOG</b>	<b>STORM</b>	<b>silver vapour</b>
Naturale	Pearl	Pearl
<b>CHARRED OAK</b>	SILVER STRATA	<b>IRON ORE</b>
Woodgrain	Naturale	Pearl



#### **Care & Maintenance**

Touchtex Doors are made from Medium Density Fibreboard (MDF), but as with any MDF product, are not waterproof. Care should be taken to ensure they are not exposed to high levels of heat, moisture, steam and humidity.

For cleaning, we recommend wiping Touchtex Doors with a soft damp cloth with warm soapy water or mild chemical spray and then drying with a soft dry cloth. You can use a small amount of turpentine on a cloth, but take care to wipe it off thoroughly with a dry cloth immediately afterwards, especially on the edges of the door. Do not use commercial cleaning products, abrasive papers, acids, solvents, thinners, methylated spirits, bleach or any other strong cleaners to clean Touchtex doors. Use of these cleaners will void your 10 year guarantee.

#### Installation

Some Touchtex doors and panels are manufactured with a protective film on the surface to prevent scratching. This film should not be removed until installation is complete.

